



□□□□ & □□□

□□□□□

□□□□

□□□

□□□□

□□□□

□□□□

---

□□ □□ □□ □□□ □□□□ □□□ □□ □□















□□ □□ □□

□□	□□ □□ □□
□□	□, □
□□□	□□ □□
□□□	□□□ □□ □□ □□
□□	□□ □□
□□	□□ □□
□□	□□□ □□ □□
□□	□□□
□□	□ □□ □□□ □□
□□ □□	□□ □□
□□ □□□	□□ □□ □□

□□ □□:

- 1.Sedex □□ □□ □□. SGS □□□□ □□ □□ □□ □□□□ □□ □□ □□ □□ □□ □□ □□□□.
- 2.FDA, LFGB, California-65 □ CE □□ □□□□ □□□□□.
3. □□ : □□ □□□□ □□, □□ □□ □□, □□ □ □□ □□□□ □□

□□ & □□

---

□□□:

1. □□ □□□□ □□ □ 1 □ + □ □□□ □□ □□□□□ □□□, □□ □□□ □□ □□ □□□ □□□□□.
2. □□□ □□□□ □□□ □□ / □□ □□ / □□ □□ □ □□ □□□□ □□ □□□ □□□□ □□□□ □□□□□□□.
3. □□ □□□ □□ □□ □□□ □□□□ □□ □□ / □□□□ □□, □□□ □□ □□□□ □□ □□ □ □□□□. □□ □□□ □□□ □□ □□□□□□□.

□□ □□:

1. 3-5days □□ □□□ □□□□□
2. □□ □□ 20-25days
3. □□□ 1 □ □□□



F. Three layer  
Corrugated paper  
master carton



G. Five layer  
Corrugated paper  
master carton



H. Seven layer  
Corrugated paper  
master carton



I. Styrofoam



J. White Box



K. Color Box



L. Paper Sleeve



M. Pvc Box



N. Gift Box



R. Wooden Pallet

□□ □□

---



□□□□ □□

## 01

□□□ □□ □□□□□ □□ □□□□□□□□?

□□□ □□ (□□ □□ □□ : 2 □□, Licun □□ □□, Wadi □□, Wenxi □□, Yuncheng □□, □□ □□, □□) □□, □□ □□ □ □□ □ □□ □□ □□□□ □□□□ □□, □□□ □□□ □□□ 24 □□ □□□

## 02

□□□□ □□ □□□ □□□ □ □□□□?

□. □□ □□□ □□ □□□□□. □□ □□□ □□□□ □□ □ PANTONE □ □□□□□. □□□□ □□ □□□ □□ □□. □□□□□ □□

## 03

□□□ □□ □□ □ □□□□?

50-200-500-1000-2000-3000-5000-10000-20000 PC□ □□, □□, □□□ □ □□□□□ □□ □□□□. MIN □ SMALL □□ □□

## 04

□□□ □□ □□□□ □□ □ □ □□□□?

□, BV, FDA, LFGB, ASTM, □□ □□□ □□□ □□ □□ □□□□ □□ □ □ □□□□.

# 05

## 05 05 05 0505 050505?

0, 05 0505 alibaba oncetouch 05 05 05 0505 0505 05 05 0505 0505 0505 05 0505 05 05 05 050505 05 05 05 0505 05 050505.

# 06

## 0606 0606 06 06 060606?

1 06 0606 06 06 0606 060606. 06 0606 06 06 : 5-7 06

**Products** TÜVRheinland®  
Precisely Right.

Start Report No.: 016480294-001 Page 1 of 4

**Client:** UNIFLARELLS AG  
Görlitzerstr. 4 48153 Münster Germany

**Test Item(s):** GLASS CUP

**Identification / Model No(s):** 13416.02016-2 PGG GLASS SET

**Sample Receiving date:** 2016-03-24

**Testing Period:** 2016-03-25 to 2016-03-30

**Test specification:** Test conclusion:  
Performed per standard(s) for the compliance with the following regulations concerning  
Materials in contact with foodstuff: **PASS**  
- German (DIN) LFGB (Lebensmittel-, Bedarfsgegenstände- und Futtermittelgesetzbuch)

**Other information:** **Sample Photo**  
For non-proprietary purposes only

For and on behalf of TÜV Rheinland (Shenzhen) Co., Ltd.

*Elaine*  
2016-04-01 **Elaine Zhang** Assistant Project Engineer  
Date Name / Position

The test results are available in the test certificate and/or report. The test certificate is not permitted to be published in  
any form. The test report shall be available in any form unless otherwise stated.

TÜV Rheinland (Shenzhen) Co., Ltd. • 3001, China Technology Building No. 1, Langfang First Floor (P) Shenzhen • P.R. China  
Rugby Park Road, North Harbor, Shenzhen • 518037 Shenzhen • P.R. China  
Tel: 86-755-8388-1988 Fax: 86-755-8388-1989 Email: shenzhen@tuv.com • www.tuv.com.cn

**LFGB**

**TEST REPORT** ANSECO

Test Report # 104-0870 Date of Report Issue: December 28, 2016  
Date of Sample Receipt: December 13, 2016 Page: Page 1 of 8

**CLIENT INFORMATION:**  
Company: Shenzhen Ruida Glassware Co., Ltd  
Request: Daily Usage  
Request Email: ruidag@ruidaglass.com

**SAMPLE INFORMATION:**  
Description: Wine glass  
Assessment: Purchase Order Number: RNDG031807  
Material No.: 40000, 40000 Tray Co./Agreement: China  
Factory/Supplier/Brand: + Country of Origin: China  
Country of Distribution: Europe Labeled Age Grade: +  
Quantity Submitted: 4 pcs per style Recommended Age Grade: +  
Testing Period: 12/13/2016 - 12/26/2016 Tested Age Grade: +

**OVERALL RESULT:** **PASS**

Refer to page 2 for test result summary and appropriate notes.

ANSECO GROUP (HK) LIMITED  
*[Signature]*  
Manager, Chemical Laboratory

ANSECO GROUP (HK) LIMITED  
1/F, 100 Wing Lok Street, 1st Floor, Wing Lok Building, Hong Kong, Tel: 852-2322-8888

**Non-lead test  
on wine glass**

**SGS**

Test Report No. 0941608000004 Date: Aug 16, 2016 Page 1 of 3

0941608000004 SHENZHEN RUIDA GLASSWARE CO., LTD.  
JINJI FUDA, 10 BUILDING, JINJI ROAD, JINJI INDUSTRIAL PARK, SHANGHAI, SHANGHAI, CHINA

The following sample(s) were submitted and identified on behalf of the client as:  
Sample Description: MRODGH\_P01  
SGS Ref. No.: 02161600000000  
Buyer: EGODA PTE LTD  
Supplier: SHENZHEN RUIDA GLASSWARE CO., LTD  
Country of Origin: CHINA  
Country of Destination: AUSTRALIA  
Sample Receiving Date: Aug 09, 2016  
Test Performing Date: Aug 09, 2016 to Aug 16, 2016

Findings/Request	Result	Comments
Based on ASTM F 2776-16 Standard Specification for Approved Trade-Letter-Glassware Glass Containers That Are Prohibited for Use in Certain Countries.	passed with 0 for the following ASTM.	/

SGS  
Signed for and on behalf of  
Shenzhen Ruida  
0941608000004 Co., Ltd.  
*[Signature]*  
Elaine Zhang  
Approval Signatory

**ASTM test report**

**Sedex Members Ethical Trade Audit (SMETA) Report**

Version 5.0 Dec 2014, 2014 Pillar Audit; replaces version 4.0 May 2012

Business Name	LIFEBEST SHENZHEN RUIDA GLASSWARE CO., LTD
Site Name	China
Site Address	China Technology Building No. 1, Langfang First Floor (P) Shenzhen • P.R. China
Parent Company Name (if applicable)	Not applicable
SMETA Audit Type	SM+Pillar
Date of Audit	07 September 2016

**Audit Context:**  
A SMETA audit was conducted which included some or all of the following: Standards, Health and Safety, Environment and Business Ethics. The SMETA audit includes the following: (1) December 2012 was applied. The scope of activities included all parts of the site (e.g. direct employees, agency workers, visitors and staff) for services provided, and services provided by other contractors. Any deviations from the SMETA Methodology are stated both reasons for deviation in the SMETA Declaration.  
The audit scope was against the following reference documents:  
SMETA SM+Pillar Audit  
- ISO 9001:2008  
- SMETA Access  
- Management systems and code of conduct/ethics  
- Declaration to Staff & Management  
- Sub-Contracting and the working  
- SMETA SM+Pillar  
- Additional Pillar assessment of Environment  
- Additional Pillar assessment of Business Ethics  
The revised SMETA Working Hours Clause  
- Now integrated into the latest SMETA version.

Where appropriate, non-compliance issues were raised against the  
Contractor (SMETA Accessible, Materiality and materiality  
non-compliance on both the audit report, CAPA and on Scales.

**Sedex**  
Empowering responsible  
supply chains

**Sedex factory  
audit**

**Alibaba.com Assessed Supplier**

**Assessment Report**

Presented to  
**Shenzhen Ruida Glassware Co., Ltd.**  
深圳市瑞达信玻璃制品有限公司

Gold Supplier & Assessed Company	<input checked="" type="checkbox"/> Solely Owned <input type="checkbox"/> Shareholding Partner
Membership	<input checked="" type="checkbox"/> Annual <input type="checkbox"/> Lifetime <input type="checkbox"/> Supplier Partner
Company Address	Plot 5, No. 10, 3rd Floor, 3rd Floor Industrial Park, Shenzhen, Daxing, Bei'an, Shenzhen, Shenzhen City, Guangdong, P.R. China
City / Country	Shenzhen, China
Company of Assessment	Alibaba
Gold Supplier Member ID	101000
Gold Supplier Company Name	Shenzhen Ruida Glassware Co., Ltd
Contact Person	Ms. Gina Liu
Phone Number	86-755-83821972
Fax Number	86-755-83821971
Email	ruidag@ruidaglass.com
Website Address (URL)	http://ruidaglass.com/alibaba.com

Service Provided by Supplier Verification  
Report No. 1000204

**Alibaba.com**  
Global Trade starts here

**BV Certificate**



100 %  
LFGB, ASTM, BV  
100 %



# CONTACT

 24H  
services

# US

☎ : 0755-82821572

QQ : 281042591

Wechat : xjp9696

Whatapp : 15099942654

Skype : xingjunpang@hotmail.com

☞ : NO.1, ☞ 2, Xinfu, Xinqiao, Shajing,  
Baoan,

☞, 518125, ☞ ☞ ☞