

Test Report No.: GZHGR2009035218 Date: Dec 18, 2009 Page 1 of 4

SHENZHEN RUIXIN GLASSWARE CO., LTD ROOM 2109 HUAKAI BUILDING, NO.2121 SUNGANG EAST RD, LUOHU DISTRICT SHENZHEN CITY, CHINA

The following sample(s) was / were submitted and identified on behalf of the client as:

Product Description : GLASS TUMBLER WITH PRINTING

Style / Item No. : RXMK066, RXMK055

P.O./ Ref No. : S10

Manufacturer & Supplier : SHENZHEN RUIXIN GLASSWARE CO., LTD

Country of Destination : UK

Test Performed : Selected test(s) as requested by applicant

Sample Receiving Date : Dec 15, 2009

Test Performing Date : Dec 15, 2009 to Dec 18, 2009

Test Result(s) : For further details, please refer to the following page(s)

Signed for and on behalf of SGS-CSTC Co., Ltd.

Same

Sunny Sun Senior Engineer

The hard copy of this (these) report(s) shall prevail in case of discrepancy between the hard copy and the soft copy.



Test Report No.: GZHGR2009035218 Date: Dec 18, 2009 Page 2 of 4

I . Dishwasher Safety Test

Test Method : As per the client's requirement

Test Sample : 3Pcs/type (1#, 2#)
Control Sample : 1Piece/type (1#, 2#)

Test Procedure : 1) Visually inspect the samples and record any cosmetic defects;

2) Put the samples in the dishwasher;

3) Fill the dishwasher soap holder with the powder detergent, close and lock the dishwasher

as recommended in the operating instructions;

4) Run the dishwasher for fifteen (15) cycles with 140°F (60°C) water at "normal setting" for

housewares. Each cycle includes soaking, washing and drying;

5) Remove and visually examine each sample.

Test Requirement : Pass means no cracking, chipping, crazing, breaking, disluster, discoloration, deformation or

warping was found on the tested sample.

Test Result : Pass

II. SGS Ref No.: GZ0912114769/CHEM

Test Requested : For compliance with the British Standard BS6748:1986 - Extraction of

Lead and Cadmium by acetic acid from Ceramic, Glass, Glass Ceramic and Vitreous Enamel articles intended for use in contact with foodstuffs.

Test Method : As specified in British Standard BS6748:1986.

Analysis was performed by Inductively Coupled Plasma Atomic Emission

Spectrometer (ICP-AES).

Conclusion : The submitted sample(s) comply with the British Standard BS6748:1986

requirements on lead and cadmium extracted by acetic acid from Ceramic,

Glass, Glass Ceramic and Vitreous Enamel articles.

Test Results :

		No	0.1		
	1	2	3	4	Category 2 Limit
Released Lead (mg/L)	< 0.05	< 0.05	< 0.05	< 0.05	4.0
Released Cadmium (mg/L)	< 0.01	< 0.01	< 0.01	< 0.01	0.3

The hard copy of this (these) report(s) shall prevail in case of discrepancy between the hard copy and the soft copy.



Test Report No.: GZHGR2009035218 Date: Dec 18, 2009 Page 3 of 4

		No			
	1	2	3	4	Category 2 Limit
Volume of 4% Acetic acid used (ml)	320	320	320	320	
Depth (mm)	110	110	110	110	
Diameter (mm)	72	72	72	72	
		No			
	1	2	3	4	Category 2 Limit
Released Lead (mg/L)	< 0.05	< 0.05	< 0.05	< 0.05	4.0
Released Cadmium (mg/L)	< 0.01	< 0.01	< 0.01	< 0.01	0.3
Volume of 4% Acetic acid used (ml)	250	250	250	250	
Depth (mm)	126	126	126	126	
Diameter (mm)	57	57	57	57	

Note: < = Less than

Remark: Category 1

Articles which cannot be filled and articles which can be filled, the internal depth of which does not

exceed 25 mm. Category 2

Articles, not in categories 1 or 3, which can be filled

Category 3

Cooking ware; packaging and storage vessels having a capacity of more than three litres

The hard copy of this (these) report(s) shall prevail in case of discrepancy between the hard copy and the soft copy.

中國 - 广州 - 经济技术开发区科学城科珠路198号





Test Report No.: GZHGR2009035218 Date: Dec 18, 2009 Page 4 of 4

Sample Photo:

Sample as Received

Ι.





II. SGS Ref No.: GZ0912114769/CHEM





SGS authenticate the photo on original report only

End of Report

The hard copy of this (these) report(s) shall prevail in case of discrepancy between the hard copy and the soft copy.